

<b>Eye Drop Schedule</b>			
	prednisolone acetate 1%	Besivance	Bromfenac
<b>On the day of surgery</b>	1 drop every 2 hours while awake	1 drop every 2 hours while awake	1 drop twice per day
<b>During the first week after surgery</b>	1 drop 4x per day	1 drop 4x per day	1 drop twice per day
<b>During the second week after surgery</b>	1 drop 4x per day	Discontinue Use	1 drop twice per day
<b>During the third week after surgery</b>	1 drop 2x per day	Discontinue Use	1 drop twice per day

## Postoperative Drops Following Cataract Surgery



# Postoperative Drops Following Cataract Surgery

<h2>Alternate Eye Drop Schedule</h2>			
	<p>prednisolone acetate 1%</p>	<p>tobramycin and polymyxin/ tremethoprim</p>	<p>ketorolac</p>
<p><b>On the day of surgery</b></p>	<p>1 drop every 2 hours while awake</p>	<p>1 drop of <b>each</b> every 2 hours while awake</p>	<p>1 drop 4X per day</p>
<p><b>During the first week after surgery</b></p>	<p>1 drop 4x per day</p>	<p>1 drop of <b>each</b> 4x per day</p>	<p>1 drop 4X per day</p>
<p><b>During the second week after surgery</b></p>	<p>1 drop 4x per day</p>	<p>Discontinue Use</p>	<p>1 drop 4X per day</p>
<p><b>During the third week after surgery</b></p>	<p>1 drop 2x per day</p>	<p>Discontinue Use</p>	<p>1 drop 4X per day</p>